

Express Mail Label No.: EM28 5386US

Date Mailed: February 18, 1998

**UNITED STATES PATENT APPLICATION
FOR GRANT OF LETTERS PATENT**

**NILS R.C. RYDBECK
JOHN FUSSELL
INVENTORS**

**CELLULAR PHONE WITH
EXPANSION MEMORY FOR AUDIO
AND VIDEO STORAGE**

RHODES, COATS & BENNETT, L.L.P.

909 Glenwood Avenue

P.O. Box

Raleigh, NC 27602

(919) 832-3946

09025395-021898

CELLULAR PHONE WITH EXPANSION MEMORY FOR AUDIO AND VIDEO STORAGE

FIELD OF THE INVENTION

The present invention relates generally to mobile communication devices, and more particularly to portable radio communication devices having an integral entertainment module including RAM or ROM for storing audio, video and/or still images.

BACKGROUND OF THE INVENTION

In the past two decades, advances in digital electronic technology have led to a rapid growth in the area of entertainment oriented consumer electronic devices. In particular, portable electronic devices such as audio CD players, FM/AM radio receivers, and even television or video tape/disc players have become increasingly popular among consumers as they have become small, lightweight, and easy for an individual to carry.

While quite popular with consumers, the mass storage type devices (audio CD, video tape/disc) typically suffer from motion induced distortion otherwise known as bouncing or skipping. These problems arise, in part, as a result of the required motion of the mass storage medium during normal operation. That is, in the case of an audio CD or a video disc, the disc which comprises the storage medium is typically spun or rotated at a relatively high speed while the information stored on the disc is read by an associated read head. Proper and precise alignment of the read head with respect to the spinning storage medium must be maintained at all times in order to insure error free reading of the stored data. Such precise alignment is often difficult to maintain

05025395-031898
858720-565265

when the audio or video player is being used in manner which is conducive to extreme vibration or mechanical shock. In practice, mechanically harsh activities such as jogging or running are common among users of portable electronics, particularly with regard to the use of portable audio CD players. In such cases, skipping or bouncing artifacts induced in the CD player can seriously impair the overall performance of the player.

With further regard to the recreational athletic activities of portable electronics consumers, it is often the case such consumers will carry not only an audio CD player for entertainment purposes, but also a cellular telephone for safety and security. Although such equipment provides the desired entertainment/security services to the athletically active consumer, the need to carry multiple pieces of equipment is generally viewed as inhibiting or impairing to their athletic endeavors.

Therefore, there is and continues to be a need for a practical and efficient technique for incorporating the functionality of audio and/or video playing devices within wireless communications devices such as cellular telephones.

SUMMARY OF THE INVENTION

The present invention is a cellular telephone particularly adapted for leisure activities. The cellular telephone of the present invention includes a portable transceiver unit and a headset which can be worn by the user during leisure activities such as jogging, biking, gardening, etc. The transceiver unit includes a fully functional transceiver capable of sending and receiving voice and data signals via an RF carrier. The transceiver unit has an integral digital entertainment module including a memory for storing music or other audio signals for playback through the headset. For purposes of

09025395 "021898
068720" 5552060

this application, memory means all forms of computer memory but ^{does} ~~does~~ not include disk storage, tape storage or other memory requiring electromechanical read systems. The memory may be in the form of a removable ROM cartridge and/or an expansion RAM. In those embodiments having an expansion RAM, an input port is provided for loading music or other audio signals into the expansion RAM from a CD player, computer, or other source of digitized audio.

Under the control of the transceiver unit's microprocessor, the digitally stored audio signal is played out through the telephone's headset, which in the preferred embodiment comprises stereo headphones. The headset may be connected to the phone by a wired or wireless link. Because of its integration into the cellular phone, the digital entertainment module can share components already present in the cellular phone. Such savings would not be available if a CD player were simply aggregated with the phone. Further, the use of solid state RAM or ROM, as opposed to disc storage, eliminates the need for bounce control circuitry. This enables the disclosed invention to provide cellular communications and entertainment during leisure activities.

In another aspect of the present invention, the digital entertainment module could be located in a removable battery pack which attaches to the transceiver unit, or in a separate adapter which plugs into the transceiver unit. Locating the digital entertainment module in either a battery pack or separate adapter allows the manufacturer to offer the digital entertainment module as an optional accessory which does not need to be purchased at the same time the cellular phone is purchased. This allows consumers who purchase a phone without the digital entertainment module to later purchase the battery pack or adapter as an upgrade to the existing phone.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a perspective view of the portable communication device of the present invention.

Figure 2 is a block diagram of the portable communication device.

Figure 3 is a block diagram of the entertainment module contained in the portable communication device.

Figure 4 is a perspective view of a second embodiment of the portable communication device in which the digital entertainment module is located in a removable battery pack.

Figure 5 is a block diagram showing the second embodiment of the portable communication device in which the entertainment module is located in a removable battery pack.

Figure 6 is a perspective view of a third embodiment of the portable communication device in which the digital entertainment module is located in a separate adapter with attaches to the transceiver unit.

Figure 7 is a block diagram showing the third embodiment of the portable communication device in which the entertainment module is located in a separate adapter.

DETAILED DESCRIPTION OF THE INVENTION

Referring now to the drawings, and particularly to Figures 1 through 3, the cellular phone of the present invention is shown therein and indicated generally by the numeral 10. The cellular phone 10 of the present invention is particularly adapted for use during leisure activities such as jogging, hiking, gardening, etc.

The cellular phone 10 includes a transceiver unit 12 and a headset 40 which can be worn on the head by the user. The transceiver unit 12 includes a main housing 14 and a removable battery pack 16 containing a rechargeable battery 28. Housing 14 of the transceiver unit 12 contains an RF transceiver 18, control logic 20, program memory 22, and audio processing unit 24 which are operatively connected by a system bus 26. The RF transceiver 18 may be, for example, a class 1 mobile phone transceiver capable of transmitting and receiving radio signals containing voice and/or data. Audio processing unit 24 processes voice and data signals that are transmitted and received by the transceiver 18. Audio processing unit 24 may include voice recognition circuitry to enable activation and use of the phone 10 by voice commands for truly hands-free operation. The control logic 20 controls the operation of the transceiver 18 according to instructions stored in program memory 22. A keypad 30 and display 32 provide a user interface. Keypad 30 enables the user to enter dialing instructions and commands to initiate a call, and to select options. The display 32 displays the number dialed and call status information to the user. Display 32 may also display instructions or options to the user. Unlike a conventional cellular phone, the transceiver unit 12 of the present invention does not include an internal microphone and speaker, though such is within the scope of the contemplated invention.

The headset 40 includes stereo speakers 42 and microphone 44 that are connected to the transceiver unit 12 by a cable 46. Cable 46 may include a plug (not shown) which removably mates with a corresponding jack on the transceiver unit 12. The cable 46 connects to the system bus 26 which routes audio signals from the audio processing unit 24 to and from the headset 40 under the control of the microprocessor

20. The jack could also connect directly to audio processing circuit 24. Alternatively, the headset 40 could communicate wirelessly with the transceiver unit 12, for example, by means of an infrared carrier, low power RF carrier or magnetic link.

The portable telephone 10 of the present invention includes a built-in digital entertainment module 50 (DEM) which allows music or other audio signals to be "played-back through the cellular telephone's headset 40. The entertainment module 50 includes extended RAM and/or removable memory cartridges for storing music or other audio signals which can be played back through the headset 40 of the phone 10.

2

09025395-01888
09025395-01888

In operation, the user would insert a removable ROM cartridge 56 into the transceiver unit 12 or load audio into the extended RAM 54 from a CD player, computer, or other source of digitized audio. The transceiver unit 12 is attached to the belt or other article of clothing worn by the user. The headset 40 is placed on the user's head and connected to the transceiver unit 12. Playback of audio in the extended RAM 54 or removable ROM 56 could be activated via the keypad 30, or alternately, by voice command. The audio would be played back through the headset 40 under control of the microprocessor 20 while the user engages in leisure activities. When an incoming call is received, the microprocessor 20 automatically mutes or stops the playback of audio from the digital entertainment module 50 until the call is terminated. Preferably, the transceiver unit 12 includes a preferred caller list stored in a screening memory which may be part of program memory 22 or separate therefrom but in communication with the control logic 20. This preferred caller list is used to screen incoming calls such that only calls from callers on the preferred caller list cause the playback of audio from the digital entertainment module 50 to be muted or stopped; calls from callers not on the preferred caller list preferably do not cause such response. Upon termination of the call, the microprocessor 20 would unmute or restart the playback of audio from the digital entertainment module 50.

A significant advantage of the present invention is that audio is played back from solid state RAM or ROM memory thus eliminating the need for bounce control circuitry which is commonly used in portable CD players. Further, because of its integration into the cellular phone 10, there is no need for the user to carry both a portable audio player and a cellular phone. Moreover, integration of the entertainment module 50 into the

32 of the transceiver unit 12. Any sound accompanying the video would be played back through the headset 40 or internal speaker. It should also be apparent that the digital entertainment module 50 could include a broadcast receiver for receiving conventional radio and TV broadcasts in addition to its entertainment memory.

The present invention may, of course, be carried out in other specific ways than those herein set forth without departing from the spirit and essential characteristics of the invention. The present embodiments are, therefore, to be considered in all respects as illustrative and not restrictive, and all changes coming within the meaning and equivalency range of the appended claims are intended to be embraced therein.

09025395 "024898
868720" 56852060